



Product Approval  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL8461-R0
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Town and Country Industries,
Address/Phone/Email	400 West McNab Road Ft. Lauderdale, FL 33309 (954) 493-8551 tomj@tc-alum.com
Authorized Signature	John Knezevich jwk@knezevich.com
Technical Representative	Thomas B. Johnston
Address/Phone/Email	400 west McNab Rd. Ft. Lauderdale, FL 33309 (954) 970-9999 tomj@tc-alum.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Shutters
Subcategory	Accordion
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report      John W. Knezevich  
 Florida License      PE-41961  
 Quality Assurance Entity      National Accreditation and Management Institute  
 Quality Assurance Contract Expiration Date  
 Validated By      ORLANDO L. BLANCO, P.E.

Validation Checklist - Hardcopy Received

Certificate of Independence      [FL8461\\_R0\\_COI\\_{seal}JWK\\_COI\\_9B-72.PDF](#)

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ASTM E330	2002
	SSTD 12	1999

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method      Method 1 Option D

Date Submitted      03/06/2007  
 Date Validated      03/15/2007  
 Date Pending FBC Approval      03/17/2007  
 Date Approved      03/28/2007  
 Date Revised      05/16/2008

**Summary of Products**

FL #	Model, Number or Name	Description
8461.1	6.8 - HR Aluminum Accordion Shutters	A folding type shutter fabricated from extruded aluminum alloy blades that interlock. Header tracks and sill tracks are used to support and guide blades. Centermates and locks are used to secure the shutter when it is deployed.
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See Accordion Shutter Span Schedules on page 7 of 13 for the 6.8 Accordion Shutter and page 11 of 13 for the HR Accordion Shutter.		<b>Installation Instructions</b> <a href="#">FL8461_R0 II 05-578_DWGs_68-HR_SSTD-12_FBC04.pdf</a> Verified By: John W. Knezevich FL PE 41961 Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL8461_R0_AE_FBCER_05-578.PDF</a> Created by Independent Third Party:

[Back](#) [Next](#)

[DCA Administration](#)

*Department of Community Affairs*

*Florida Building Code Online*

*Codes and Standards*

*2555 Shumard Oak Boulevard*

*Tallahassee, Florida 32399-2100*

*(850) 487-1824, Fax (850) 414-8436*

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

