



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL6270
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Town and Country Industries,
Address/Phone/Email	400 West McNab Road Ft. Lauderdale, FL 33309 (954) 493-8551 tomj@tc-alum.com
Authorized Signature	John Knezevich jwk@knezevich.com
Technical Representative	Thomas B. Johnston
Address/Phone/Email	400 west McNab Rd. Ft. Lauderdale, FL 33309 (954) 970-9999 tomj@tc-alum.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Shutters
Subcategory	Accordion
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report John W. Knezevich, PE
 Florida License PE-41961
 Quality Assurance Entity National Accreditation & Management Institute,
 Quality Assurance Contract Expiration Date
 Validated By ORLANDO L. BLANCO, P.E.
 Validation Checklist - Hardcopy Received

Certificate of Independence [FL6270_R0_COI_COI_9B-72.pdf](#)

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	TAS 201, 202, 203	1994

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 02/28/2006
 Date Validated 03/01/2006
 Date Pending FBC Approval 03/07/2006
 Date Approved 03/22/2006

Summary of Products

FL #	Model, Number or Name	Description
6270.1	6.8 and HR Accordion	Aluminum Accordion Shutter System
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +varies/-varies Other: This product is suitable for installation in the High Velocity Hurricane Zone (HVHZ) with the exception that it may not be used in Miami-Dade County. These products may only be installed on concrete, hollow concrete block or wood substrates. For all other conditions site specific design shall be by this office or our delegated engineer. These products must be installed in accordance with the Minimum Shutter Separation From Glass Tables of the referenced drawing.</p>		<p>Installation Instructions FL6270_R0_II_05-596_DWGs_680-HR_HVHZ.pdf Verified By: John W. Knezevich, PE PE 41961 Created by Independent Third Party: Evaluation Reports FL6270_R0_AE_05-596_Report_68-HR_HVHZ.pdf Created by Independent Third Party:</p>

[Back](#) [Next](#)

[DCA Administration](#)

*Department of Community Affairs
Florida Building Code Online
Codes and Standards*

*2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100
(850) 487-1824, Fax (850) 414-8436*

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

