



[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL7636
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	CROCI NORTH AMERICA
Address/Phone/Email	6360 TOPAZ COURT FORT MYERS, FL 33912 (239) 278-3066 gmorzaniga@crociusa.com
Authorized Signature	gil Morzaniga gmorzaniga@crociusa.com
Technical Representative	Gil Morzaniga
Address/Phone/Email	6360 topaz court fort myers, FL 33912 gmorzaniga@crociusa.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Shutters
Subcategory	Roll-up
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report Richard W. Arnold, PE  
 Florida License PE-19334  
 Quality Assurance Entity National Accreditation and Management Institute  
 Quality Assurance Contract Expiration Date  
 Validated By John Henry Kampmann Jr.  
 Validation Checklist - Hardcopy Received

Certificate of Independence [FL7636\\_R0\\_COI\\_PAGE 3.pdf](#)

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ASTM E-1886	2002
	ASTM E-1996	2002
	ASTM E-330	2002

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 09/23/2006  
 Date Validated 10/02/2006  
 Date Pending FBC Approval 10/13/2006  
 Date Approved 12/06/2006

**Summary of Products**

FL #	Model, Number or Name	Description
7636.1	Aluminum 55 mm End Retention	ES55SUP
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70.00/-70.00 Other: This product shall not be installed within High Velocity Hurricane Zone as defined in the section 1620 of the Florida Building Code 2004 edition. For span and design load refer to page 1 through 7 of installation drawing number ESSUP		<b>Installation Instructions</b> <a href="#">FL7636_R0_II_installation drawings.pdf</a> Verified By: Richard W. Arnold PE-19334 Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL7636_R0_AE_PAGE 1.pdf</a> <a href="#">FL7636_R0_AE_PAGE 2.pdf</a> Created by Independent Third Party:

[Back](#) [Next](#)

[DCA Administration](#)

*Department of Community Affairs*

*Florida Building Code Online*

*Codes and Standards*

*2555 Shumard Oak Boulevard*

*Tallahassee, Florida 32399-2100*

*(850) 487-1824, Fax (850) 414-8436*

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

