



Product Approval  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL9293
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Town and Country Industries, Inc.
Address/Phone/Email	400 West McNab Road Ft. Lauderdale, FL 33309 (954) 970-7700 tomj@tc-alum.com
Authorized Signature	Tom Johnston tomj@tc-alum.com
Technical Representative	Thomas B. Johnston
Address/Phone/Email	400 west McNab Rd. Ft. Lauderdale, FL 33309 (954) 970-9999 tomj@tc-alum.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Shutters
Subcategory	Storm Panels
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report Allen Reeves P.E.  
 Florida License PE-19354  
 Quality Assurance Entity National Accreditation & Management Institute,  
 Quality Assurance Contract Expiration Date  
 Validated By ORLANDO L. BLANCO, P.E.

Validation Checklist - Hardcopy Received

Certificate of Independence [FL9293\\_R0\\_COI\\_Florida Certification of Independence.pdf](#)

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ASTM E1886-	2002
	ASTM E1996	2002
	ASTM E330-	2002

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 07/31/2007  
 Date Validated 08/01/2007  
 Date Pending FBC Approval 08/07/2007  
 Date Approved 08/21/2007

**Summary of Products**

FL #	Model, Number or Name	Description
9293.1	24 GA 12.5" O.C.	24 Gauge .024 Galvanized Steel 12.5" O.C.
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +116/-129 Other: Refrence installation drawings for other loads and spans		<b>Installation Instructions</b> <a href="#">FL9293_R0_II_0707009B125_DWG.pdf</a> Verified By: Allen Reeves FL P.E. 19354 Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL9293_R0_AE_7874EVAL 24 12.5.pdf</a> Created by Independent Third Party:
9293.2	24 GA 12" O.C.	24 Gauge .024" Galvanized Steel Panel 12" O.C.

**Limits of Use**

**Approved for use in HVHZ:** No  
**Approved for use outside HVHZ:** Yes  
**Impact Resistant:** Yes  
**Design Pressure:** +134/-145  
**Other:** For further loads and spans reference installation drawings

**Installation Instructions**

[FL9293\\_R0\\_II\\_0707009A12\\_DWG.pdf](#)  
Verified By: Allen Reeves FI PE 19354  
Created by Independent Third Party:  
**Evaluation Reports**  
[FL9293\\_R0\\_AE\\_7649EVAL-24 12.pdf](#)  
Created by Independent Third Party:

[Back](#) [Next](#)

[DCA Administration](#)

*Department of Community Affairs  
Florida Building Code Online  
Codes and Standards  
2555 Shumard Oak Boulevard  
Tallahassee, Florida 32399-2100  
(850) 487-1824, Fax (850) 414-8436*

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

